



- Easy installation of sensors and transmitters
- Robust construction made of stainless steel

Vario Mounting Set

The mounting set in mechanical assembly technique (MAT).



Vario Mounting Set for quick and easy installation of sensors and transmitters.

The standard delivery comprises all required fastening material.

Sensors can be easily fixed on walls, ceiling or ground. For horizontal and vertical sensor adjustment to fit to channels as good as possible.

If you should have particular mounting issues we are at your disposal at any time. We will put together an appropriate sensor mounting set for your application out of our vario mounting components. Detailed drawings are available from us upon request.

For installation on-site there is an upright stand including ground plate and weatherproof cover available.

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89


Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13


Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Vario Mounting set




ZMS / 100

Ceiling-mounting set for sensors R1", e.g.
P-M3, P-03, P-06, P-10, P-15 and P-25
Material: stainless steel V4A




ZMS / 102

Wall-mounting set for sensors R1", e.g.
P-M3, P-03, P-06, P-10, P-15 and P-25
Distance wall to sensor centre: 80...270 mm,
directly adjustable
Material: stainless steel V4A




ZMS / 108

Wall-mounting set for sensors R1", e.g.
P-M3, P-03, P-06, P-10, P-15 und P-25
Distance wall to sensor centre: 80...570 mm,
directly adjustable
Material: stainless steel V4A




ZMS / 109

Wall-mounting set for sensors R1", e.g.
P-M3, P-03, P-06, P-10, P-15 and P-25
Distance wall to sensor centre: 80...900 mm,
directly adjustable
Material: stainless steel V4A



ZMS / 120








Wall-mounting set for sensors R2", e.g. NivuCompact 10
Distance wall to sensor centre: 185 mm
Material: stainless steel V4A



ZMS / 121

Wall-mounting set for sensors R2", e.g. NivuCompact 10.
Sensor fastening possible in two positions.
Distance wall to sensor centre: 332mm, 480 mm
Material: stainless steel V4A

Vario Mounting set



ZMS / 122

Wall-mounting set for sensors R1", e.g. Squing, P-M3, P-03

Distance wall to sensor centre: 185 mm

Material: stainless steel V4A

ZMS / 123

Wall-mounting set for sensors R1½", e.g. for NivuCompact 3 and 6 or R2", e.g. for NivuCompact 10

Sensor fastening possible three positions.

Distance wall sensor centre: 450, 650, 805 mm

Material: stainless steel V4A

ZMS / 130

Ceiling-mounting (reflecting angle) set for sensors R1", e.g. P-M3, P-03, P-06, P-10 and P-15; 1.5" for NivuCompact 3 and 6; 2" for NivuCompact 10

Reflection angle 90°.

Material: stainless steel V4A

ZMS / 131

Wall-mounting set for conductive sensors R1½", e.g. type NES... and NEH..., NivuCompact 3 and 6

Distance wall to sensor centre: 185 mm

Material: stainless steel V4A

ZMS / 133

Wall-mounting set like ZMS / 132 plus weatherproof cover.

Material: stainless steel V4A

ZMS / 132

Wall-mounting set for pressure bell switch, e.g. type T202 and T208

Distance wall to sensor centre: 83 mm

Material: stainless steel V4A

ZMS / 190

Weatherproof cover for sensors R1", e.g.

P-M3, P-03, P-06, P-10, P-15 and P-25

Material: stainless steel V4A

